Safety Quiz: Orientation

Name: _____
Instructor: _____
Date: _____

1. I am responsible for my own safety?
   a. True
   b. False

2. Employees under the influence of drugs or alcohol will be terminated immediately.
   a. True
   b. False

3. Report ANY injury or incident, no matter how slight, to your foreman:
   a. By the end of your shift.
   b. By the completion of your job.
   c. Immediately.
   d. As soon as convenient.

4. Before operating or riding in any aerial lift, I must be trained and qualified.
   a. True
   b. False

5. Oxygen cylinders need to be stored at least 20 feet away from other compressed gases UNLESS separated by a 30-minute fire barrier.
   a. True.
   b. False.

6. When working in a food producing facility:
   a. Ear plugs must be attached to hard hat.
   b. Safety glasses need to be secured.
   c. No tobacco products are allowed.
   d. Follow the guidelines, tools in – tools out.
   e. All of the above.

7. Electrical safety work practices include:
   a. The use of ground-fault circuit interrupters (GFCI).
   b. Verifying power is OFF and isolated before doing repairs.
   c. Keeping proper safety clearance distances from overhead power lines.
   d. All of the above.

8. It is Winger Companies' policy for employees to use a ground-fault circuit interrupter (GFCI) when using power tools.
   a. True
   b. False

P. O. Box 637 918 Hayne Street Ottumwa, IA 52501-0637 Telephone (641) 682-3407 Fax (641) 682-2421
WWW.WINGERMECHANICAL.COM

9. When you discover power tools or extension cords with missing ground prongs, damaged plugs, nicks, cuts, and/or scrapes, you should:
    a. Take the defective tool or cord out of service immediately and tag it.
    b. Wear insulated gloves when using the tool or cord.
    c. Use electrician's tape to insulate yourself from the energized parts.
    d. Repair the defective tool or cord with a vulcanization kit.

10. I am required to wear fall protection equipment and tie-off:
    a. When I am elevated 4' or more.
    b. When I am one step up on a ladder within 6' of a handrail.
    c. When I am using or moving any type of aerial lift platform.
    d. All of the above

11. Floor and roof openings larger than 2" must have hole covers that are:
    a. Secured in place so they can't be accidentally dislodged.
    b. Clearly marked with the word "HOLE" or "COVER".
    c. Capable of supporting at least twice the expected weight of the workers, equipment, and materials that could be placed on them.
    d. All of the above.

12. All flammable liquids must be stored inside approved flammable cabinets when not in use.
    a. True
    b. False

13. Winger Companies' motor vehicle safety requirements for all employees include:
    a. The use of seatbelts when driving or riding in a company vehicle.
    b. Possession of a valid driver's license in order to drive a company vehicle.
    c. Abide speed limits on work sites.
    d. Immediate notification to direct supervisor and safety personnel if your driving privileges are revoked or suspended.
    e. All of the above.

14. Before starting any job with a chemical, you should:
    a. Receive a manufacturer's brochure on the chemical.
    b. Read the chemical's label and SDS.
    c. Put on a respirator and protective suit.

15. The term ___SDS_____ (Safety Data Sheets) was adopted in the new 2012 Hazard Communication Standard.

16. SDS's are used to provide necessary information to employers and workers on chemicals hazards and safety precautions. SDS also provides detailed information on:
    a. Product Identification.
    b. Product composition.
    c. Clean up procedures.
    d. All of the above.

P. O. Box 637 918 Hayne Street Ottumwa, IA 52501-0637 Telephone (641) 682-3407 Fax (641) 682-2421
WWW.WINGERMECHANICAL.COM

17. GHS stands for the _____ _____ _____ of the Classification and Labeling of Chemical.
    a. Group Health Service
    b. Global Home Server
    c. Globally Harmonized System
    d. Generic Health System

18. The two signal words used with the GHS are:
    a. Danger & warning.
    b. Deer & wings.
    c. Granger & morning.
    d. Stranger & warming.

19. In which section would you find information about safe disposal of waste chemicals?
    a. Section 16.
    b. Section 13.
    c. Section 7.
    d. Section 14.

20. "May cause damage to the liver through prolonged or repeated exposure by inhalation" is an example of a health hazard statement.
    a. True.
    b. False.

21. Examples of unclassified hazards include:
    a. Combustible dust.
    b. Simple asphyxiants.
    c. Both a & b.
    d. None of the above.

22. How many sections make up an SDS?
    a. Too many to count.
    b. 16 sections.
    c. 8 sections.
    d. 5 sections.

23. In the space provided above the pictogram, write the letter for the corresponding hazard:

(A) Flame (Flammables)
(B) Gas cylinder (Gases under pressure)
(C) Health (Aspiration toxicity)
(D) Exploding bomb (Explosives)
(E) Exclamation mark (Skin/eye irritation)
(F) Flame over circle (Oxidizers)
(G) Corrosion (Skin corrosion/ burns)
(H) Skull and crossbones (Acute toxicity)
(I) Environment (Aquatic toxicity)



P. O. Box 637 918 Hayne Street Ottumwa, IA 52501-0637 Telephone (641) 682-3407 Fax (641) 682-2421
WWW.WINGERMECHANICAL.COM

24. The new format will make it easier to find the information employees need to work safely with hazardous chemicals such as:
    a. Why the chemical is hazardous (including health and physical hazards).
    b. How you can be exposed to the hazards.
    c. What conditions can increase the risk of being exposed.
    d. All of the above.

25. When do you need to refer to a SDS?
    a. Whenever you feel like it.
    b. At the end of the job.
    c. Never.
    d. Each employee is expected to read and follow all information listed on the Safety Data Sheets (SDS) before working.

26. Inhalation, absorption, ingestion, and injections are ways chemicals can enter the body.
    a. True
    b. False

27. Match corresponding hazard rating number with the correct hazard level:

HMIS/NFPA Hazard Ratings
0= Minimal
1= Slight
2= Moderate
3= Serious
4= Severe

GHS Hazards Categories
Cat. 1= Severe
Cat. 2= Serious
Cat. 3= Moderate
Cat. 4= Slight
Cat. 5= Minimal

-Minimal Hazard
-Severe Hazard
-Slight Hazard
-Serious Hazard
-Moderate Hazard

28. Where can I find the Winger SDSs?
    www.sdsbinderworks.com username: wingeroffice password: winger

29. All employees are responsible for keeping their work areas clean, including inside and outside of buildings, and company vehicles.
    a. True
    b. False

30. When using a step-ladder, you should not:
    a. Stand on the top two rungs.
    b. Sit on the top of the ladder.
    c. Lean outside the side-rails to reach your work.
    d. All of the above.

31. Winger Companies' personal lockout/tagout padlock policy includes which of the following?
    a. Padlocks are to be solid red in color or have a red band.
    b. Padlocks are to have a legible LOTO tag that states the person's name and company's name.
    c. Padlock keys are to be controlled at all times by the employee.
    d. All of the above.

P. O. Box 637 918 Hayne Street Ottumwa, IA 52501-0637 Telephone (641) 682-3407 Fax (641) 682-2421
WWW.WINGERMECHANICAL.COM

32. Winger Companies' personal lockout/tagout padlock policy also states:
    a. Each person must affix and remove their own lock.
    b. To prevent the release of uncontrolled energy, double verification must take place.
    c. Employees must not use their red lockout padlocks for any other purpose other than lockout/tagout.
    d. All of the above.

33. Personal Protective Equipment (PPE) must be inspected:
    a. According to manufacturer's instructions
    b. Before each use
    c. It doesn't matter, I just wear it
    d. Both a and b

34. PPE cannot be altered in any way and must be maintained in a reliable manner. True or False

35. It is important to keep the bill of your hardhat facing forward because it was designed to protect:
    a. Your eyes from sunlight and glare.
    b. Your nose and face from falling objects.
    c. Your nose and face from getting into someone else's business.
    d. Both a and b.

36. Hardhats must be inspected for gouges, cracks, and pass the 1" compression test. True or False

37. Winger Companies' foot protection policy requires work boots that have:
    a. ANSI approved composite or steel safety-toes.
    b. High top leather uppers at least 6" high to provide adequate ankle support.
    c. Non-slip and puncture resistant soles.
    d. EH or ESD Electrical Hazard Rating
    e. All of the above.

38. For general work tasks, _____ provide the best all-around eye protection.
    a. 6" zebra stilettos
    b. Pink fuzzy bunny slippers
    c. Elton John diamond studded white sun glasses
    d. Safety glasses with side-shields or wrap-around lenses
    e. Shaded lenses

39. Prescription safety glasses must:
    a. Be marked with ANSI Z87.1-1968
    b. Have side shields or wrap around lenses
    c. Not be altered
    d. All of the above

40. Bump caps do NOT meet ANSI Z89.1-1969 and cannot be altered. True or False

41. When performing grinding or chipping tasks, you should always use?
    a. Safety glasses and a paper bag with holes cut in a moon shape so you can see.
    b. Safety goggles only.
    c. Safety glasses with side-shields or safety goggles as well as a face shield.
    d. None of the above.

P. O. Box 637 918 Hayne Street Ottumwa, IA 52501-0637 Telephone (641) 682-3407 Fax (641) 682-2421
WWW.WINGERMECHANICAL.COM

42. When do you need to wear hearing protection?
    a. When using a grinder or any power tool with decibel levels of 85 or higher.
    b. When working in "Hearing Protection Required" posted areas.
    c. When working nearby other employees that are using loud power tools.
    d. When you have to raise your voice to be heard by others within 3 feet of you.
    e. All of the above.

43. Hearing protection devices should also be worn off the job with noisy power tools, lawn mowers, farm equipment, shooting guns, car and motorcycle races, etc. True or False

44. Ear plugs must:
    a. Fit your ear.
    b. Replaced every day or when they are dirty or skanky.
    c. Replaced when they are hard or cracked.
    d. All of the above.

45. Food policy requirements require earplugs must have strings and be secured to hardhat.
    True or False

46. To prevent hand injuries while working with sharp objects or when using a sharp tool you must:
    a. Wear white cotton liner gloves with pink and purple polka dots.
    b. Wear cut resistant gloves.
    c. Wear leather gloves.
    d. Don't wear any gloves.

47. Winger policy is 100% glove use is required unless it causes a greater hazard. True or False

48. Employees that are required to wear respirators must have which of the following?
    a. Medical approval to wear a respirator.
    b. Be fit tested to ensure proper fit.
    c. Respirator training.
    d. All of the above.

49. I do not have to have Scaffold User training to access and work from a scaffold. True or False

50. A scaffold does not need to be inspected before I use it to work. True or False

51. Scaffold pre-use inspections include which of the following?
    a. Look at the scaffold inspection tag for the current date.
    b. Look for any noticeable damaged scaffold components.
    c. I need to contact my foreman if I notice any problems.
    d. All of the above.

52. Safe usage of power tools when working from scaffolds include:
    a. Using tools that are double insulated or that are properly grounded with ground-fault circuit interrupter (GFCI) protection.
    b. Using extension cords that are three-wire type and that are designed for hard or extra-hard usage.
    c. Positioning tool cords and extension cords out of the walkway to prevent tripping hazards.
    d. All of the above.

P. O. Box 637 918 Hayne Street Ottumwa, IA 52501-0637 Telephone (641) 682-3407 Fax (641) 682-2421
WWW.WINGERMECHANICAL.COM

53. To prevent "welder's flash" when welding you MUST:
    a. Wear a welding helmet with the proper shade of welding lens.
    b. Warn by-standers when you are going to strike the arc.
    c. Use welding screens whenever possible.
    d. Wear extra protection during welding to prevent reflection in stainless steel tanks.
    e. All of the above.

54. When wearing a welding helmet, you are **required to wear safety glasses** with side-shields or goggles underneath it when?
    a. Never. Safety glasses are not needed because the welding helmet is adequate protection by itself.
    b. Only when I feel like it.
    c. Only when I think I will get caught.
    d. Always.

55. When cutting, welding, or brazing where should the fire extinguisher be located?
    a. Within 100 feet of your work area.
    b. Within 50 feet of your work.
    c. Immediately available at your work area.
    d. Somewhere on the jobsite.

56. Keeping the work area free of litter such as paper, cardboard, and scrap wood is one way to help prevent Class A fires?
    a. True
    b. False

57. To prevent injuries when welding you should always:
    a. Wear the proper protective clothing.
    b. Warn by-standers when you are going to strike the arc.
    c. Use welding screens when possible.
    d. Wear safety glasses and a welding helmet.
    e. All of the above.

58. It is the policy of Winger Companies to provide equal employment opportunities to all qualified persons without regard to race, color, religion, sex, national origin, physical or mental disabilities, marital status, veteran status, or any other status protected by law.
    a. True
    b. False

59. Sexual harassment is defined as unwelcome sexual advances, requests for sexual favors and other verbal or physical conduct of a sexual nature.
    a. True
    b. False

60. Once an excavation's depth is 4-foot or greater, a ladder for access and egress must be used and additional ladders must be placed every 25' along the length of the excavation.
    a. True
    b. False

P. O. Box 637 918 Hayne Street Ottumwa, IA 52501-0637 Telephone (641) 682-3407 Fax (641) 682-2421
WWW.WINGERMECHANICAL.COM